

No.

235 / SUI 15

1st prolongation after renewing 2017

**CERTIFICATE OF JUMPING HILL  
CERTIFICAT DE CONFORMITE  
SCHANZENPROFILBESTÄTIGUNG**

Date of issue 12.07.2021  
Établi le  
Ausgestellt am

Valid till 30.04.2026  
Valable jusq' au  
Gültig bis


Place: Kandersteg

Name: Blümlisalp

HS = 74 m

h/n = 0,528

Vo = 22,12 m/s



e = 77,20 m	$l_1 = 5,00 \text{ m}$	$z_U = 49,88 \text{ m}$
$e_s = 15,70 \text{ m}$ 27 gates (é 60 cm)	$l_2 = 6,82 \text{ m}$	P = 62,00 m
t = 4,40 m	a = 87,00 m	K = 67,00 m
$\gamma = 33,00^\circ$	$\beta_p = 36,30^\circ$	L = 74,00 m
$\alpha = 10,50^\circ$	$\beta = 34,00^\circ$	$b_1 = 2,20 \text{ m}$
$r_1 = 106,00 \text{ m}$	$\beta_L = 31,10^\circ$	$b_K = 13,15 \text{ m}$
h = 30,46 m	$r_L = 130,00 \text{ m}$	$b_U = 14,40 \text{ m}$
n = 57,61 m	$r_{2L} = 210,70 \text{ m}$	d = 35,14 m
s = 2,20 m	$r_2 = 49,00 \text{ m}$	q = 12,37 m

**Remarks / Bemerkungen**

1. inspection by Pierre Bailly (14th June 2021)
2. the remarks of the inspection-report must be observed and fulfilled for the validity of the certification.
3. for fulfilling the (FIS-ICR) standards of the jumpinghill, the owner is responsible during training and competition.
4. during training and competition:
  - 4.1. the area "B" between takeoff table and beginning of mat-covering must be covered with snow. The drainage ditch must be covered at the same level like the snow profil.
  - 4.2. the steel construction in front of the takeoff table for covering tarpaulin must be covered with mobile box and soft material.

JUMPING HILL APPROVED BY THE FIS  
TREPLIN HOMOLOGUE PAR LA FIS  
DURCH DIE FIS GENEHMIGTE SPRUNGSCHANZE

SUB-COMMITTEE FOR JUMPING HILLS

CHAIRMAN:



Hans-Martin Renn